




İSTANBUL / TÜRKİYE

www.okust.com.tr

OKUST OD-932-C/10 ELECTRIC VEHICLE

Company: Altınboğa Gaz Aletleri Mak. San. Tic. Ltd. Şti	
Address: İstanbul Tower Plaza Muratpaşa Mah. Uluyol Cad. No.17 D.37-38 Bayrampaşa/İSTANBUL	Tel: +90 212 544 2176 Mobile: +90 531 303 6088 E-mail: info@okust.com.tr

Vehicle Specifications


	Technical Specifications	
	Controller	AC Electronic speed control
	Battery	6V*8 350Ah Lead Acid Battery
	Charging Time	6-8 Hours
	Motor Power (kw)	10 Kw AC
	Chassis	Solid Steel Body
	Passenger Capacity	1+1
	Range with Full Battery (km)	60
	Turning Radius (m)	4,5
	Climbing Ability (Loaded)	%15
	Max Speed (km/s)	12-14
	Net Weight (kg)	1.300
	Towing Capacity (kg)	2.000
	Carriage Capacity (kg)	1.100
	Vehicle Dimensions (mm)	3400x1300x1850
	Steering System	Mechanical Steering
	Front and Rear Suspension System	Leaf Spring and Hydraulic Shock Absorber
Tire and Rim	4 pieces 6.00-9 Pneumatic Tires	
<p>The above photo is for reference. * Range may vary depending on temperature, slope, load and driving style.</p>		

Standard Equipment		Extra Equipment
Digital Error Code Indicator	Digital Speedometer	Inching
ON / OFF Ignition Switch	Digital Control Panel	BlueSpot Lamp
Forward - Reverse Movement Button	Hill Hold (Hill Start Assist)	12V-USB Input
Horn and Button	LED Signal and Parking Lights	Driver Seat with Switch
Reverse Driving Sound Warning (Buzzer)	LED Headlight and Daytime Running Light	Seat Belt with Switch
Emergency Stop Button	Flashing Beam	Electric Power Steering System (EPS)
Headlight and Signal Lever	Side Mirrors	Different Body Configuration
Hazard Flasher Button	Regenerative Brake	Rear View Camera
Adjustable Seats	Handbrake	Solid Tyre
Driver's Seat with Seat Belt	Hydraulic Drum Brake System	Gel Battery
Digital Kilometer	Lead Acid Battery	Lithium Battery
Internal (On-Board) Charger 220V		Hydraulic System for Garbage Truck
Digital Charge Status Indicator		Electronic Magnetic Brake

OKUST OD-935-C/10 ELECTRIC TRUCK

Company: Altınboğa Gaz Aletleri Mak. San. Ve Tic. Ltd. Şti	
Address: İstanbul Tower Plaza Muratpaşa Mah. Uluyol Cad. No.17 D.37-38 Bayrampaşa/İSTANBUL	Tel: +90 212 544 2176 Mobile: +90 531 303 6088 E-mail: info@okust.com.tr

Vehicle Specifications


 <p>The above photo is for reference. * Range may vary depending on temperature, slope, load and driving style.</p>	Technical Specifications	
	Controller	AC Electronic speed control
	Battery	6V*8 350Ah Lead Acid Battery
	Charging Time	6-8 Hours
	Motor Power (kw)	10 Kw AC
	Chassis	Solid Steel Body
	Passenger Capacity	1+1
	Range with Full Battery (km)	60
	Turning Radius (m)	4,5
	Climbing Ability (Loaded)	%15
	Max Speed (km/s)	12-14
	Net Weight (kg)	1.540
	Towing Capacity (kg)	2.000
	Carriage Capacity (kg)	1.100
	Vehicle Dimensions (mm)	3400x1300x2050
	Steering System	Mechanical Steering
	Front and Rear Suspension System	Leaf Spring and Hydraulic Shock Absorber
	Tire and Rim	4 pieces 6.00-9 Pneumatic Tires

Standard Equipment		Extra Equipment
Digital Error Code Indicator	Digital Speedometer	Inching
ON / OFF Ignition Switch	Digital Control Panel	BlueSpot Lamp
Forward - Reverse Movement Button	Hill Hold (Hill Start Assist)	Sunroof
Horn and Button	LED Signal and Parking Lights	12V-USB Input
Reverse Driving Sound Warning (Buzzer)	LED Headlight and Daytime Running Light	Electric Heater
Emergency Stop Button	Flashing Beam	Driver Seat with Switch
Windshield Wiper Button	Side and Center Mirrors	Seat Belt with Switch
Headlight and Signal Lever	Windshield Wiper	Front and Rear Parking Sensors
Hazard Flasher Button	Tempered Windshield, Sliding Side and Rear Windows	Electric Power Steering System (EPS)
Adjustable Seats	Steel Cabin and Doors (With Locking System)	Different Body Configuration
Driver's Seat with Seat Belt	Regenerative Brake	Rear View Camera
Digital Kilometer	Handbrake	Solid Tyre
Internal (On-Board) Charger 220V	Hydraulic Drum Brake System	Lithium Battery
Digital Charge Status Indicator	Lead Acid Battery	Gel Battery
	Cabin Interior Lamp	Hydraulic System for Garbage Truck
		Electronic Magnetic Brake

OKUST OD-935-C/20 ELECTRIC TRUCK

Company: Altınboğa Gaz Aletleri Mak. San. Tic. Ltd. Şti	
Address: İstanbul Tower Plaza Muratpaşa Mah. Uluyol Cad. No.17 D.37-38 Bayrampaşa/İSTANBUL	Tel: +90 212 544 2176 Mobil: +90 531 303 6088 Mail: info@okust.com.tr

Vehicle Specifications

 <p>The above photo is for reference. * Range may vary depending on temperature, slope, load and driving style.</p>	Technical Specifications	
	Controller	AC Electronic speed control
	Battery	6V*8 350Ah Lead Acid Battery
	Charging Time	6-8 Hours
	Motor Power (kw)	10 Kw AC
	Chassis	Solid Steel Body
	Passenger Capacity	1+1
	Range with Full Battery (km)	60
	Turning Radius (m)	4,5
	Climbing Ability (Loaded)	%15
	Max Speed (km/s)	12-14
	Net Weight (kg)	1.540
	Towing Capacity (kg)	2.000
	Carriage Capacity (kg)	2.000
	Vehicle Dimensions (mm)	3400x1300x2050
	Steering System	Mechanical Steering
	Front and Rear Suspension System	Leaf Spring and Hydraulic Shock Absorber
Tire and Rim	4 pieces 6.00-9 Pneumatic Tires	

Standard Equipment		Extra Equipment
Digital Error Code Indicator	Digital Speedometer	Inching
ON / OFF Ignition Switch	Digital Control Panel	BlueSpot Lamp
Forward - Reverse Movement Button	Hill Hold (Hill Start Assist)	Sunroof
Horn and Button	LED Signal and Parking Lights	12V-USB Input
Reverse Driving Sound Warning (Buzzer)	LED Headlight and Daytime Running Light	Electric Heater
Emergency Stop Button	Flashing Beam	Driver Seat with Switch
Windshield Wiper Button	Side and Center Mirrors	Seat Belt with Switch
Headlight and Signal Lever	Windshield Wiper	Front and Rear Parking Sensors
Hazard Flasher Button	Tempered Windshield, Sliding Side and Rear Windows	Electric Power Steering System (EPS)
Adjustable Seats	Steel Cabin and Doors (With Locking System)	Different Body Configuration
Driver's Seat with Seat Belt	Regenerative Brake	Rear View Camera
Digital Kilometer	Handbrake	Solid Tyre
Internal (On-Board) Charger 220V	Hydraulic Drum Brake System	Lithium Battery
Digital Charge Status Indicator	Lead Acid Battery	Gel Battery
	Cabin Interior Lamp	Hydraulic System for Garbage Truck
		Electronic Magnetic Brake




ALTINBOĞA EV[®]
ELECTRIC VEHICLE

OKUST OD-936-P KAPALI YOLCU TAŞIMA

Company: Altınboğa Gaz Aletleri Mak. San. Tic. Ltd. Şti	
Address: İstanbul Tower Plaza Muratpaşa Mah. Uluyol Cad. No.17 D.37-38 Bayrampaşa/İSTANBUL	Tel: +90 212 544 2176 Mobile: +90 531 303 6088 E-mail: info@okust.com.tr

Vehicle Specifications

	Technical Specifications	
	Controller	AC Electronic speed control
	Battery	6V*8 350Ah Lead Acid Battery
	Charging Time	6-8 Hours
	Motor Power (kw)	10 Kw AC
	Chassis	Solid Steel Body
	Passenger Capacity	1+5
	Range with Full Battery (km)	60
	Turning Radius (m)	5,5
	Climbing Ability (Loaded)	%15
	Max Speed (km/s)	12-14
	Net Weight (kg)	1.580
The above photo is for reference. * Range may vary depending on temperature, slope, load and driving style.	Vehicle Dimensions (mm)	3700x1300x2050
	Steering System	Mechanical Steering
	Front and Rear Suspension System	Leaf Spring and Hydraulic Shock Absorber
	Tire and Rim	4 pieces 6.00-9 Pneumatic Tires


Standard Equipment		Extra Equipment
Digital Error Code Indicator	Digital Speedometer	Inching
ON / OFF Ignition Switch	Digital Control Panel	BlueSpot Lamp
Forward - Reverse Movement Button	Hill Hold (Hill Start Assist)	Sunroof
Horn and Button	LED Signal and Parking Lights	12V-USB Input
Reverse Driving Sound Warning (Buzzer)	LED Headlight and Daytime Running Light	Electric Heater
Emergency Stop Button	Flashing Beam	Driver Seat with Switch
Windshield Wiper Button	Side and Center Mirrors	Seat Belt with Switch
Headlight and Signal Lever	Windshield Wiper	Electric Power Steering System (EPS)
Hazard Flasher Button	Tempered Windshield, Sliding Side and Rear Windows	Rear View Camera
Adjustable Seats	Regenerative Brake	Solid Tyre
Driver's Seat with Seat Belt	Handbrake	Gel Battery
Digital Kilometer	Hydraulic Drum Brake System	Lithium Battery
Internal (On-Board) Charger 220V	Cabin Interior Lamp	Electronic Magnetic Brake
Digital Charge Status Indicator		



OKUST OD-938-P/8 PASSENGER CARRIER

Company: Altınboğa Gaz Aletleri Mak. San. Tic. Ltd. Şti	
Address: İstanbul Tower Plaza Muratpaşa Mah. Uluyol Cad. No.17 D.37-38 Bayrampaşa/İSTANBUL	Tel: +90 212 544 2176 Mobil: +90 531 303 6088 Mail: info@okust.com.tr

Vehicle Specifications

	Technical Specifications	
	Controller	AC Electronic speed control
	Battery	6V*8 350Ah Lead Acid Battery
	Charging Time	6-8 Hours
	Motor Power (kw)	10 Kw AC
	Chassis	Solid Steel Body
	Passenger Capacity	1+7
	Range with Full Battery (km)	60
	Turning Radius (m)	5,5
	Climbing Ability (Loaded)	%15
	Max Speed (km/s)	12-14
	Net Weight (kg)	1500
	Vehicle Dimensions (mm)	4200x1300x1850
	Steering System	Mechanical Steering
	Front and Rear Suspension System	Leaf Spring and Hydraulic Shock Absorber
	Tire and Rim	4 pieces 6.00-9 Pneumatic Tires


The above photo is for reference.
* Range may vary depending on temperature, slope, load and driving style.

Standard Equipment		Extra Equipment
Digital Error Code Indicator	Digital Speedometer	Inching
ON / OFF Ignition Switch	Digital Control Panel	BlueSpot Lamp
Forward - Reverse Movement Button	Hill Hold (Hill Start Assist)	12V-USB Girişi
Horn and Button	LED Signal and Parking Lights	Driver Seat with Switch
Reverse Driving Sound Warning (Buzzer)	LED Headlight and Daytime Running Light	Seat Belt with Switch
Emergency Stop Button	Flashing Beam	Electric Power Steering System (EPS)
Headlight and Signal Lever	Side Mirrors	Rear View Camera
Hazard Flasher Button	Regenerative Brake	Solid Tyre
Adjustable Seats	Handbrake	Gel Battery
Driver's Seat with Seat Belt	Hydraulic Drum Brake System	Lithium Battery
Digital Kilometer	Cabin Interior Lamp	Electronic Magnetic Brake
Internal (On-Board) Charger 220V		

OD-937-TT-5 TOW TRUCK

Company: Altınboğa Gaz Aletleri Mak. San. Tic. Ltd. Şti	
Address: İstanbul Tower Plaza Muratpaşa Mah. Uluyol Cad. No.17 D.37-38 Bayrampaşa/İSTANBUL	Tel: +90 212 544 2176 Mobile: +90 531 303 6088 E-mail: info@okust.com.tr

Vehicle Specifications


	Technical Specifications	
	Controller	AC Electronic speed control
	Battery	6V*8 350Ah Lead Acid Battery
	Charging Time	6-8 Hours
	Motor Power (kw)	10 Kw AC
	Chassis	Solid Steel Body
	Passenger Capacity	1+1
	Range with Full Battery (km)	60
	Turning Radius (m)	4,5
	Climbing Ability (Loaded)	%15
	Max Speed (km/s)	12-14
	Net Weight (kg)	2500
	Towing Capacity (kg)	5.000
	Vehicle Dimensions (mm)	3400x1300x2050
<p>The above photo is for reference. * Range may vary depending on temperature, slope, load and driving style.</p>	Steering System	Mechanical Steering
	Front and Rear Suspension System	Leaf Spring and Hydraulic Shock Absorber
	Front Tire and Rim	6.00-9 Pneumatic Tire
	Rear Tire and Rim	6.50-10 Solid Tire

Standard Equipment		Extra Equipment
Digital Error Code Indicator	Digital Speedometer	Inching
ON / OFF Ignition Switch	Digital Control Panel	BlueSpot Lamp
Forward - Reverse Movement Button	Hill Hold (Hill Start Assist)	Sunroof
Horn and Button	LED Signal and Parking Lights	12V-USB Input
Reverse Driving Sound Warning (Buzzer)	LED Headlight and Daytime Running Light	Electric Heater
Emergency Stop Button	Flashing Beam	Driver Seat with Switch
Windshield Wiper Button	Side and Center Mirrors	Seat Belt with Switch
Headlight and Signal Lever	Windshield Wiper	Hydraulic Steering Boost System
Hazard Flasher Button	Tempered Windshield, Sliding Side and Rear Windows	Rear View Camera
Adjustable Seats	Steel Cabin and Doors (With Locking System)	Solid Tyre
Driver's Seat with Seat Belt	Regenerative Brake	Lithium Battery
Digital Kilometer	Handbrake	Gel Battery
Internal (On-Board) Charger 220V	Hydraulic Drum Brake System	Electronic Magnetic Brake
Digital Charge Status Indicator	Lead Acid Battery	
	Cabin Interior Lamp	

OD-937-TT-7 TOW TRUCK

Company: Altınboğa Gaz Aletleri Mak. San. Tic. Ltd. Şti	
Address: İstanbul Tower Plaza Muratpaşa Mah. Uluyol Cad. No.17 D.37-38 Bayrampaşa/İSTANBUL	Tel: +90 212 544 2176 Mobile: +90 531 303 6088 E-mail: info@okust.com.tr

Vehicle Specifications

	Technical Specifications	
	Controller	AC Electronic speed control
	Battery	6V*8 350Ah Lead Acid Battery
	Charging Time	6-8 Hours
	Motor Power (kw)	10 Kw AC
	Chassis	Solid Steel Body
	Passenger Capacity	1+1
	Range with Full Battery (km)	60
	Turning Radius (m)	4,5
	Climbing Ability (Loaded)	%15
	Max Speed (km/s)	12-14
	Net Weight (kg)	2500
	Towing Capacity (kg)	7.000
	Vehicle Dimensions (mm)	3400x1300x2050
<p>The above photo is for reference. * Range may vary depending on temperature, slope, load and driving style.</p>	Steering System	Mechanical Steering
	Front and Rear Suspension System	Leaf Spring and Hydraulic Shock Absorber
	Front Tire and Rim	6.00-9 Pneumatic Tire
	Rear Tire and Rim	6.50-10 Solid Tire

Standard Equipment		Extra Equipment
Digital Error Code Indicator	Digital Speedometer	Inching
ON / OFF Ignition Switch	Digital Control Panel	BlueSpot Lamp
Forward - Reverse Movement Button	Hill Hold (Hill Start Assist)	Sunroof
Horn and Button	LED Signal and Parking Lights	12V-USB Input
Reverse Driving Sound Warning (Buzzer)	LED Headlight and Daytime Running Light	Electric Heater
Emergency Stop Button	Flashing Beam	Driver Seat with Switch
Windshield Wiper Button	Side and Center Mirrors	Seat Belt with Switch
Headlight and Signal Lever	Windshield Wiper	Hydraulic Steering Boost System
Hazard Flasher Button	Tempered Windshield, Sliding Side and Rear Windows	Rear View Camera
Adjustable Seats	Steel Cabin and Doors (With Locking System)	Solid Tyre
Driver's Seat with Seat Belt	Regenerative Brake	Lithium Battery
Digital Kilometer	Handbrake	Gel Battery
Internal (On-Board) Charger 220V	Hydraulic Drum Brake System	Electronic Magnetic Brake
Digital Charge Status Indicator	Lead Acid Battery	
	Cabin Interior Lamp	




ALTINBOĞA EV[®]
ELECTRIC VEHICLE

OD-CK120 TOW TRACTOR

Company: Altınboğa Gaz Aletleri Mak. San. Tic. Ltd. Şti	
Adress: İstanbul Tower Plaza Muratpaşa Mah. Uluyol Cad. No.17 D.37-38 Bayrampaşa/İSTANBUL	Tel: 0212 544 2176 Mobil: 0531 303 6088 Mail: info@okust.com.tr

Vehicle Specifications

	Technical Specifications	
	Controller	AC Electronic Speed Control
	Battery	48V/525Ah Lithium
	Charging Time	2-3 Hours
	Engine Power (kW)	13 kW AC
	Chassis	Solid Steel Body
	Passenger Capacity	1+3
	Range on Full Charge (km)	60
	Turning Radius (m)	4.5
	Gradeability (Loaded)	4% / 10%
	Max Speed (km/h)	15
	Net Weight (kg)	2500
	Towing Capacity (kg)	12,000
	Vehicle Dimensions (mm)	3650x1250x2050
The photo above is for reference only. * Range may vary depending on temperature, slope, load, and driving style.	Steering System	Power Steering
	Front and Rear Suspension	Leaf Spring and Hydraulic Shock Absorber
	Front Tire and Rim	6.00-9 Solid Tires
	Rear Tire and Rim	6.50-10 Solid Tires

Standard Equipment		Ekstra Equipment
Digital Error Code Indicator	Digital Speedometer	Inching Lamp
ON/OFF Ignition Switch	Digital Control Panel	BlueSpot Lamp
Forward and Reverse Button	Hill Hold (Hill Start Assist)	Sunroof
Horn and Button	LED Signal and Parking Lights	12V USB Port
Reverse Buzzer	LED Headlights and Daytime Running Lights	Electric Heater
Emergency Stop Button	Flashing Beacon	Switched Driver Seat
Wiper Switch	Side and Center Mirrors	Switched Seat Belt
Headlight and Signal Lever	Windshield Wiper	Power Steering System
Hazard Flasher Button	Tempered Glass, Sliding Side and Rear	Rearview Camera
Adjustable Seats	Steel Cabin and Doors (With Locking	Solid Tire
Driver Seat with Seat Belt	Regenerative Brakes	Gel Battery
Digital Odometer	Parking Brake	Electronic Magnetic Brake
On-Board Charger 220V	Hydraulic Drum Brake System	
Digital Charge Status Indicator	Interior Cabin Light	

AMBULANCE

Company: Altınboğa Gaz Aletleri Mak. San. Tic. Ltd. Şti


Address: İstanbul Tower Plaza
Muratpaşa Mah. Uluyol Cad. No.17 D.37-38
Bayrampaşa/İSTANBUL

Tel: +90 212 544 2176

Mobile: +90 531 303 6088

E-mail: info@okust.com.tr

Vehicle Specifications

	Technical Specifications	
	Controller	AC Electronic speed control
	Battery	6V*8 350Ah Lead Acid battery
	Charging Time	6-8 Hours
	Motor Power (kw)	10 kW AC
	Chassis	Solid Steel Body
	Passenger capacity	2+1
	Range with Full Battery (km)	60
	Turning Radius (m)	3,5
	Climbing Ability (Loaded)	%15
	Max Speed (km/s)	12-14
	Net Weight (kg)	1350
	Dimensions (mm)	3400x1300x1800
	Steering System	Electric Steering
	Front and Rear Suspension System	Leaf Spring and Hydraulic Shock Absorber
Tires and Rims	4 pieces 6.00-9 Pneumatic Tire	
<p>The above photo is for reference. * Range may vary depending on temperature, slope, load and driving style.</p>		

Standard Equipment		Extra Equipment
Digital Error Code Indicator	Digital Speedometer	Inching
ON / OFF Ignition Switch	Digital Control Panel	BlueSpot Lamp
Forward - Reverse Movement Button	Hill Hold (Hill Start Assist)	12V-USB Input
Horn and Button	LED Signal and Parking Lights	Driver Seat with Switch
Reverse Driving Sound Warning (Buzzer)	LED Headlight and Daytime Running Light	Seat Belt with Switch
Emergency Stop Button	Flashing Beam	Different Body Configuration
Electric Power Steering System (EPS)	Side Mirrors	Rear View Camera
Headlight and Signal Lever	Regenerative Brake	Solid Tires
Hazard Flasher Button	Hydraulic Drum Brake System	Lithium Battery
Adjustable Seats	Lead Acid Battery	Gel Battery
Driver's Seat with Seat Belt	Digital Charge Status Indicator	
Electronic Magnetic Brake	Digital Kilometer	